


# WON-330 | AUTOMATIC SLITTER REWINDER



The WON-330 narrow-web automatic slitter rewinder is fully servo-driven and features taper tension control, top brand web guiding, turret rewind, meter and number counting, static eliminator etc. The ultimate configuration for high productivity and quality.

WON-330	AVAILABLE WIDTH: 330MM/450MM/520MM		
	330	450	520
Max Web Width	330mm	450mm	520mm
Max Speed	300m/min	300m/min	300m/min
Max Unwind Dia.	700mm	700mm	700mm
Max Rewind Dia.	400mm	400mm	400mm
Auto Slit Precision	±0.2mm ( automatic )	±0.2mm ( automatic )	±0.2mm ( automatic )
	±0.15mm ( shear )	±0.15mm ( shear )	±0.15mm ( shear )
	±0.15mm ( razor )	±0.15mm ( razor )	±0.15mm ( razor )
Min Slit Width	≥18mm ( automatic )	≥18mm ( automatic )	≥18mm ( automatic )
	≥16mm ( standard )	≥16mm ( standard )	≥16mm ( standard )
	≥11mm ( razor )	≥11mm ( razor )	≥11mm ( razor )
Blades Installed	6 sets ( included )	6 sets ( included )	6 sets ( included )
	10 sets ( options )	10 sets ( options )	10 sets ( options )
Paper Path	3m	3m	4m
Air Supply	0.4-0.6MPa	0.4-0.6MPa	0.4-0.6MPa
Power Supply	3PH+N+PE	3PH+N+PE	3PH+N+PE
Total Motor Power	8KW	9KW	11KW
Dimension	1750 × 1230 × 1460	1750 × 1350 × 1460	2300 × 1600 × 1460
Weight	1300KGS	1600KGS	1900KGS

\* May vary depending on selected options/configurations

**UNWINDER & WEB GUIDING**  
Servo driven unwind for clock wise and anti-clock wise unwinding. Automatic tension control, end-of-roll detection, webguide, integrated splice table, 76mm unwind mandrel. Factory upgrade to unwind rolls with dia = 1000mm and a reel lift possible.

**SEMI-AUTO TURRET**  
semi-automatic 2-spindle turret which will turn automatically, and lower a pressure arm upon reaching the counter set. Simple, effective and highly productive. Suitable for clock-wise and anti-clockwise rewinding.

**JDF/JMF**  
Use Rhyguan's digital platform to receive JDF job data from your MIS/ERP system to automate settings and automatically pass-on JMF management information

**COUNTER**  
High-quality German-made counting sensor - extra accessories needed for clear-on-clear material.

**1 2 3**

**AUTOMATIC SLITTING**  
Automatically positioned slitting knives that are easy to control from the user-interface, including edge-trimming. Maximum of 10 knives allows for a wide range of slitting possibilities. Optionally add manual razor blade also.

**SINGLE LAYER FILMS**  
Suitable to rewind thin films with optional Core-Lock differential rewind shafts. Slip threshold can be controlled from the touchscreen user panel. Lay-on rollers avoid air-bubbles during rewinding

**WEB ADVANCE**  
The optional web advance comes with additional clamps. And is available for both the upper and lower rewind. The web advance can also function as a lay-on roller when rewinding filmic materials